Tel: (818) 998-0223 Fax: (818) 998-6892 sales@AHSystems.com www.AHSystems.com

# SAS-521F-4

### Bilogical Antenna 25 MHz - 4 GHz

For rapid deployment along with the mobility of small package, this Bilogical Antenna provides an inexpensive solution to broadband applications.

Frequency Range: 25 MHz - 4 GHz

Gain: 6 dBi

Maximum Continuous Power: 400 Watts

Impedance:  $50 \Omega$ 

Max Radiated Field: 100 V/m

Connector: N-Type, female

Mounting Base: \( \frac{1}{4} - 20 \) Thread, female

**Physical Dimensions** 

Height: 22.2 in. (56.4 cm)
Width: 38.5 in. (97.8 cm)
Length: 38.3 in. (97.3 cm)
Weight: 4.5 lb.'s (2.04 kg)

#### **Features**

- Hybrid Log Periodic Biconical Antenna
- Wide Frequency Range of 25 MHz 4 GHz
- Receive and Transmit
- Individually Calibrated (1, 3 and 10 Meter calibration included, horizontal polarization)
- FCC, MIL-STD, VDE and TEMPEST Testing
- Rugged Construction


The A.H. Systems' SAS-521F-4 Bilogical Antenna is one of our latest antennas, providing an inexpensive solution to wide band applications. Whether testing inside a shielded enclosure or outdoors, this antenna will display efficient performance characteristics through the frequency range of 25 MHz to 4 GHz.


## **Recommended Accessories**

- PAM-0204 (Preamplifier)
- SAC-211-0.5 (0.5 meter N/N Cable)
- BTE-510 (Bilogical Tripod Extension)
- ATU-510 (Antenna Tripod Unit, wooden)
- AEH-510 (Azimuth and Elevation Head, Plastic)



Tel: (818) 998-0223 Fax: (818) 998-6892 sales@AHSystems.com www.AHSystems.com







Tel: (818) 998-0223 Fax: (818) 998-6892 sales@AHSystems.com www.AHSystems.com



#### A.H. Systems Inc. 9710 Cozycroft Ave. Chatsworth, CA 91311

Phone (818) 998-0223 Fax (818) 998-6892
E-mail: Info@A.H.Systems.com
Veb site: http://www.AHSqstems.com

Half Power Beamwidth Model SAS-521F-4

