Tel: (818) 998-0223 Fax: (818) 998-6892 sales@AHSystems.com www.AHSystems.com

SAS-521F-7

Bilogical Antenna

25 MHz - 7 GHz

For rapid deployment along with the mobility of small package, this Bilogical Antenna provides an inexpensive solution to broadband applications.

Frequency Range: 25 MHz - 7 GHz

Gain: -27 to 7 dBi

Maximum Continuous Power: 400 Watts

Impedance: 50Ω

Max Radiated Field: 100 V/m

Connector: N-Type, female

Mounting Base: 1/4 - 20 Thread, female

Physical Dimensions

 Height:
 22.2 in. (56.4 cm)

 Width:
 38.5 in. (97.8 cm)

 Length:
 39.0 in. (99.1 cm)

 Weight:
 4.5 lb.'s (2.04 kg)

Features

- Hybrid Log Periodic Biconical Antenna
- Wide Frequency Range of 25 MHz 7 GHz
- Receive and Transmit
- Individually Calibrated (1, 3 and 10 Meter calibration included, horizontal polarization)
- FCC, MIL-STD, VDE and TEMPEST Testing
- Rugged Construction

The A.H. Systems' SAS-521F-7 Bilogical Antenna is one of our latest antennas, providing an inexpensive solution to wide band applications. Whether testing inside a shielded enclosure or outdoors, this antenna will display efficient performance characteristics through the frequency range of 25 MHz to 7 GHz.

Recommended Accessories


- PAM-0207A (Preamplifier)
- SAC-211-0.5 (0.5 meter N/N Cable)
- BTE-510 (Bilogical Tripod Extension)
- ATU-510 (Antenna Tripod Unit, wooden)
- AEH-510 (Azimuth and Elevation Head, Plastic)



Tel: (818) 998-0223

sales@AHSystems.com

Fax: (818) 998-6892 ◆ www.AHSystems.com





Tel: (818) 998-0223 Fax: (818) 998-6892 sales@AHSystems.com www.AHSystems.com

A.H. Systems Inc.

9710 Cozycroft Ave. Chatsworth, CA 91311 Phone (818) 998-0223 Fax (818) 998-6892 E-mail: sales@AHSystems.com

VSWR Bilogical Antenna Model: SAS-521F-7

