
Tel: (818) 998-0223 Fax: (818) 998-6892 sales@AHSystems.com www.AHSystems.com

SAS-522-2 Bilogical Antenna 25 MHz – 2 GHz

Simplify testing with this hybrid antenna providing an inexpensive solution to wide band applications.





Frequency Range: 25 MHz - 2000 MHz Maximum Continuous Power: 1000 Watts

Impedance: 50  $\Omega$ 

Connector: N-Type, female

Mounting Base: ¼ - 20 Thread, female

## **Features**

- Wide Frequency Range of 25 MHz to 2 GHz
- Individually Calibrated (1, 3 and 10 Meter calibration included, horizontal polarization)
- Rugged Construction
- Three Year Warranty


The A.H. Systems' SAS-522-2 Bilogical Antenna is one of our latest antennas, providing an inexpensive solution to wide band applications. Whether testing inside a shielded enclosure or outdoors, this antenna will display efficient performance characteristics through the frequency range of 25 MHz to 2000 MHz.


## **Recommended Accessories**

- ATU-510 (Antenna Tripod, Wooden)
- AEH-510 (Azimuth and Elevation Head)
- BTE-510 (Bilogical antenna tripod mount)
- PAM-0202 (30 dB Preamplifier)



Tel: (818) 998-0223 Fax: (818) 998-6892 sales@AHSystems.com www.AHSystems.com





Tel: (818) 998-0223 Fax: (818) 998-6892 sales@AHSystems.com

www.AHSystems.com

